

PART- IV
SCHEDULE OF RATES
ISSUE RATE OF MATERIALS

Galvanised Mild Steel Tubes (Continuisly Welded) Electric resistance Welded ERW/High Frequnc Welded (HEIW) screwed both ends tom ISS : 554 pipe threaded on fitted with socked and the other Protected as specification in ramdom lengths of 4 to 7 metres confirming to ISS : 1239/Part – I 1979.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
1. 15mm dia to 150mm dia G.I Pipes (Medium)				
			Garó	Khasi
a)	15mm dia	RM	48.03	60.34
b)	20mm dia	RM	61.92	77.56
c)	25mm dia	RM	89.54	108.08
d)	32mm dia	RM	115.31	139.17
e)	40mm dia	RM	130.86	162.83
f)	50mm dia	RM	182.72	224.46
g)	65mm dia	RM	230.55	286.76
h)	80mm dia	RM	307.61	386.61
i)	100mm dia	RM	447.36	561.53
j)	150 mm dia	RM	637.91	874.35
2. G.I. Elbow (medium quality) 15mm to 150mm dia suitable for the G.I. pipes confirming to ISS 239/Part-1/979.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	12.25	17.00
b)	20mm dia	Each	19.75	23.00
c)	25mm dia	Each	29.60	35.00
d)	32mm dia	Each	48.70	52.50
e)	40mm dia	Each	62.65	73.00
f)	50mm dia	Each	99.85	108.00
g)	65mm dia	Each	179.00	190.00
h)	80mm dia	Each	262.00	273.00
i)	100mm dia	Each	481.00	499.00
j)	150 mm dia	Each	650.00	1681.00
3. G.I. Long threaded nipples (medium) quality suitable for the G.I. Pipes specified 15mm to 150mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	13.40	17.00
b)	20mm dia	Each	20.95	22.00
c)	25mm dia	Each	30.85	31.00
d)	32mm dia	Each	50.50	41.85
e)	40mm dia	Each	62.60	44.00
f)	50mm dia	Each	94.95	59.00
g)	65mm dia	Each	184.70	81.00
h)	80mm dia	Each	273.25	100.00
i)	100mm dia	Each	494.60	150.00

j)	150 mm dia	Each	650.00	299.00
4. G.I. Long bend with one and socket (medium) quality suitable for the G.I. Pipes as specified. 15mm 150mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	28.95	15.00
b)	20mm dia	Each	45.75	21.00
c)	25mm dia	Each	66.85	31.00
d)	32mm dia	Each	118.20	46.50
e)	40mm dia	Each	192.55	59.00
f)	50mm dia	Each	286.50	117.00
g)	65mm dia	Each	776.90	179.00
h)	80mm dia	Each	832.50	270.00
i)	100mm dia	Each	1069.90	569.00
j)	150 mm dia	Each	1198.00	1407.00
5. G.I. Flange (medium) suitable for the G.I. pipes as specified 15mm to 150mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	23.00	60.00
b)	20mm dia	Each	32.00	60.00
c)	25mm dia	Each	35.00	60.00
d)	32mm dia	Each	45.00	75.00
e)	40mm dia	Each	48.00	78.00
f)	50mm dia	Each	58.00	106.00
g)	65mm dia	Each	90.00	150.00
h)	80mm dia	Each	120.00	178.00
i)	100mm dia	Each	188.00	224.00
j)	150 mm dia	Each	285.00	400.00
6. G.I. Jam nut (medium) quality suitable for the G.I. pipe as specified 15mm.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	8.15	4.50
b)	20mm dia	Each	9.20	5.00
c)	25mm dia	Each	10.20	8.00
d)	32mm dia	Each	11.30	10.80
e)	40mm dia	Each	16.55	12.00
f)	50mm dia	Each	20.75	21.00
g)	65mm dia	Each	26.00	26.00
h)	80mm dia	Each	55.40	41.00
i)	100mm dia	Each	70.00	59.00
j)	150 mm dia	Each	167.50	62.00
7. G.I. reducing socket (medium) quantity suitable for the G.I. pipes as specified 20 x 15mm dia to.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20x15mm dia	Each	18.75	20.00
b)	25x15mm dia	Each	24.35	28.00
c)	25x20mm dia	Each	24.35	28.00

d)	32x15mm dia	Each	39.15	44.80
e)	32x20mm dia	Each	39.15	44.80
f)	32x25mm dia	Each	39.15	51.00
g)	40x15mm dia	Each	48.20	51.00
h)	40x20mm dia	Each	48.20	51.00
i)	40x25mm dia	Each	48.20	51.00
j)	40x32 mm dia	Each	48.20	56.10
k)	50X15mm dia	Each	80.20	79.00
l)	50x20mm dia	Each	80.20	79.00
m)	50x25mm dia	Each	80.20	79.00
n)	50x32mm dia	Each	80.20	79.00
o)	50x40mm dia	Each	80.20	79.00
p)	65x15mm dia	Each	134.00	129.00
q)	65x20mm dia	Each	134.00	129.00
r)	65x25mm dia	Each	134.00	129.00
s)	65x32mm dia	Each	134.00	129.00
t)	65x40mm dia	Each	134.00	129.00
u)	65x50mm dia	Each	134.00	129.00
v)	80x15mm dia	Each	202.30	187.00
w)	80x20mm dia	Each	202.30	187.00
x)	80x25mm dia	Each	202.30	187.00
y)	80x32mm dia	Each	202.30	187.00
z)	80x40mm dia	Each	202.30	187.00
a.1)	80x50mm dia	Each	202.30	187.00
a.2)	80x65mm dia	Each	202.30	187.00
a.3)	100x15mm dia	Each	328.75	316.00
a.4)	100x20mm dia	Each	328.75	316.00
a.5)	100x25mm dia	Each	328.75	316.00
a.6)	100x32mm dia	Each	328.75	316.00
a.7)	100x40mm dia	Each	328.75	316.00
a.8)	100x50mm dia	Each	328.75	316.00
a.9)	100x65mm dia	Each	328.75	316.00
a.10)	100x80mm dia	Each	328.75	316.00
a.11)	150x15mm dia	Each	560.00	1162.00
a.12)	150x20mm dia	Each	560.00	1162.00
a.13)	150x25mm dia	Each	560.00	1162.00
a.14)	150x32mm dia	Each	560.00	1162.00
a.15)	150x40mm dia	Each	560.00	1162.00
a.16)	150x50mm dia	Each	560.00	1162.00
a.17)	150x65mm dia	Each	560.00	1162.00
a.18)	150x80mm dia	Each	560.00	1162.00
a.19)	150x100mm dia	Each	560.00	1162.00
8. G.I. socket (medium quality) 15mm dia to 150mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
a)	15mm dia	Each	11.60	13.00
b)	20mm dia	Each	17.05	19.00

c)	25mm dia	Each	22.15	25.00
d)	32mm dia	Each	35.60	33.00
e)	40mm dia	Each	43.80	51.00
f)	50mm dia	Each	72.90	75.00
g)	65mm dia	Each	122.20	127.00
h)	80mm dia	Each	183.90	185.00
i)	100mm dia	Each	298.85	305.00
j)	150 mm dia	Each	398.00	1125.00

9. Half way valve (Gun metal : IS 778)

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	160.00	216.00
b)	20mm dia	Each	200.00	292.00
c)	25mm dia	Each	380.00	457.00
d)	32mm dia	Each	410.00	502.70
e)	40mm dia	Each	510.00	842.00
f)	50mm dia	Each	684.00	1302.00
g)	65mm dia	Each	822.00	2224.00
h)	80mm dia	Each	1208.00	3749.00
i)	100mm dia	Each	1600.00	-

10. Full way wheel valve (Gun metal/brass) 15mm to 150mm dia.

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	196.00	216.00
b)	20mm dia	Each	210.00	292.00
c)	25mm dia	Each	415.00	457.00
d)	32mm dia	Each	475.00	563.00
e)	40mm dia	Each	565.00	842.00
f)	50mm dia	Each	784.00	1302.00
g)	65mm dia	Each	1022.00	2224.00
h)	80mm dia	Each	1408.00	3749.00
i)	100mm dia	Each	2001.00	6601.00

11. G.I. Union socket (medium) 15mm to 150mm dia.

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	34.35	39.00
b)	20mm dia	Each	48.25	59.00
c)	25mm dia	Each	64.80	80.00
d)	32mm dia	Each	98.40	88.00
e)	40mm dia	Each	121.10	139.00
f)	50mm dia	Each	176.75	204.00
g)	65mm dia	Each	359.35	389.00
h)	80mm dia	Each	492.45	525.00
i)	100mm dia	Each	675.00	787.00
j)	150 mm dia	Each	850.00	1024.90

12. Brass ferrule 15mm dia to 25mm dia (IS – 2692)

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
-------	----------------------	------	---------------------	--

			Garó	Khasi
a)	15mm dia	Each	45.00	-
b)	20mm dia	Each	58.00	-
13. Brass bib cock 15mm dia 20mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	40.00	110.00
b)	20mm dia	Each	100.00	-
14. Plastic Bib cock 15mm dia 20mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	20.00	22.00
15. G.I. reducing socket (medium) 20x 15mm to 150 x100mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20x15mm dia	Each	32.55	33.00
b)	25x15mm dia	Each	45.65	48.00
c)	25x20mm dia	Each	45.65	48.00
d)	32x15mm dia	Each	72.45	72.00
e)	32x20mm dia	Each	72.45	72.00
f)	32x25mm dia	Each	72.45	72.00
g)	40x15mm dia	Each	86.35	98.00
h)	40x20mm dia	Each	86.35	98.00
i)	40x25mm dia	Each	86.35	98.00
j)	40x32 mm dia	Each	86.35	98.00
k)	50X15mm dia	Each	139.70	156.00
l)	50x20mm dia	Each	139.70	156.00
m)	50x25mm dia	Each	139.70	156.00
n)	50x32mm dia	Each	139.70	156.00
o)	50x40mm dia	Each	139.70	156.00
p)	65x15mm dia	Each	258.50	244.00
q)	65x20mm dia	Each	258.50	244.00
r)	65x25mm dia	Each	258.50	244.00
s)	65x32mm dia	Each	258.50	244.00
t)	65x40mm dia	Each	258.50	244.00
u)	65x50mm dia	Each	258.50	244.00
v)	80x15mm dia	Each	358.15	336.00
w)	80x20mm dia	Each	358.15	336.00
x)	80x25mm dia	Each	358.15	336.00
y)	80x32mm dia	Each	358.15	336.00
z)	80x40mm dia	Each	358.15	336.00
a.1)	80x50mm dia	Each	358.15	336.00
a.2)	80x65mm dia	Each	358.15	336.00
a.3)	100x15mm dia	Each	563.10	637.00
a.4)	100x20mm dia	Each	563.10	637.00
a.5)	100x25mm dia	Each	563.10	637.00
a.6)	100x32mm dia	Each	563.10	637.00

a.7)	100x40mm dia	Each	563.10	637.00
a.8)	100x50mm dia	Each	563.10	637.00
a.9)	100x65mm dia	Each	563.10	637.00
a.10)	100x80mm dia	Each	563.10	637.00
a.11)	150x15mm dia	Each	735.00	2149.00
a.12)	150x20mm dia	Each	735.00	2149.00
a.13)	150x25mm dia	Each	735.00	2149.00
a.14)	150x32mm dia	Each	735.00	2149.00
a.15)	150x40mm dia	Each	735.00	2149.00
a.16)	150x50mm dia	Each	735.00	2149.00
a.17)	150x65mm dia	Each	735.00	2149.00
a.18)	150x80mm dia	Each	735.00	2149.00
a.19)	150x100mm dia	Each	735.00	2149.00
16. G.I. Plug (Medium) 15mm to 150mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
a)	15mm dia	Each	5.00	6.00
b)	20mm dia	Each	6.60	8.00
c)	25mm dia	Each	10.85	15.00
d)	32mm dia	Each	15.75	19.00
e)	40mm dia	Each	21.25	36.00
f)	50mm dia	Each	36.80	41.00
g)	65mm dia	Each	58.50	62.00
h)	80mm dia	Each	79.75	105.00
i)	100mm dia	Each	172.20	156.00
j)	150 mm dia	Each	210.00	617.00
17. Self Closing Tap (Steel Type).				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
a)	15mm dia	Each	120.00	122.00
18. G.I. Equal Tee (medium) 15mm dia to 150mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
a)	15mm dia	Each	19.75	22.00
b)	20mm dia	Each	29.60	32.00
c)	25mm dia	Each	41.45	46.00
d)	32mm dia	Each	65.60	60.00
e)	40mm dia	Each	78.50	99.00
f)	50mm dia	Each	127.00	152.00
g)	65mm dia	Each	235.00	234.00
h)	80mm dia	Each	325.00	328.00
i)	100mm dia	Each	502.80	597.00
j)	150 mm dia	Each	810.00	2054.00
19. Centrifugally cast iron (spun) pressure pipes with spigot and socket joints conforming to specification No. ISS 1536/1976 with amendment No. 1 and 2 standard length suitable for lead and /or rubber gasket joint known as Tyton joints.				
Class : LA				

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	80mm dia	RM	350.43	-
b)	100mm dia	RM	428.90	-
c)	150mm dia	RM	651.38	-
d)	200mm dia	RM	950.20	-
e)	250mm dia	RM	1229.08	-
f)	300mm dia	RM	1584.95	-
20. Class : A				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	80mm dia	RM	397.12	610.00
b)	100mm dia	RM	495.50	750.50
c)	150mm dia	RM	738.55	1131.06
d)	200mm dia	RM	1074.23	1635.00
e)	250mm dia	RM	1394.60	2211.07
f)	300mm dia	RM	1805.58	2862.52
21. C.I. PIPE – CLASS – B (I.S.S 1536/1976)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	80mm dia	RM	427.85	654.73
b)	100mm dia	RM	526.16	800.37
c)	150mm dia	RM	801.64	1218.58
d)	200mm dia	RM	1162.12	1768.77
e)	250mm dia	RM	1508.46	2391.52
f)	300mm dia	RM	1956.15	3101.23
22. Horizontal cast iron double flanged pressure pipes conforming to specification No. 7181/74 with amendment to No. 1 flanged cast iron pressure pipes to specification No.IS 1537/76 with Amendment No. 1 & 2 with increased wall thickness as per foot grade under table IX : ISS 1537/1960 in standard Length of 3.75 M.				
C.I.D./F CLASS - B				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	80mm dia	RM	439.59	675.30
b)	100mm dia	RM	536.11	823.73
c)	150mm dia	RM	884.53	1358.90
d)	200mm dia	RM	1277.23	1962.25
e)	250mm dia	RM	1674.59	2680.00
f)	300mm dia	RM	2155.26	3449.21
23. Cast iron all socketed and spigot standard fittings suitable for pressure pipe conforming to I.S. 1533/75 with amdt. No 1,2 & 3 in nominal diameter.				
C.I. SPECIAL UPTO 300mm dia.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	Upto 300mm dia	Kg	30.45	29.00
24. Cast iron all flanged fitting suitable for pressure pipes to I.S. 1538/76 amendment No. 1, 2 & 3 in nominal diameter.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	

			Garó	Khasi
a)	Upto 300mm dia	Kg	29.17	31.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
25.	Pig lead as per I.S. 782/1996 and conform to grade Pb 99.94. Of I.S. 27-1965 pig lead (99.99%)	Kg.	49.14	65.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
26.	Hemp spun yarn	Kg.	30.00	35.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
27. Rubber insertion sheet				
			Garó	Khasi
	6mm thick	Kg.	34.00	-
	3mm thick	Kg.	40.00	35.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
28.	Jute	Kg.	4.80	35.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
29.	Nuts with hexagonal bolt	Kg.	43.00	60.00
30. Rubber Gasket for Tyton joints.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	80mm dia	Each	15.99	-
b)	100mm dia	Each	19.18	23.00
c)	150mm dia	Each	27.34	37.29
d)	200mm dia	Each	33.78	48.83
e)	250mm dia	Each	53.79	65.62
f)	300mm dia	Each	68.30	84.01
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
31.	Screwed down fire hydrant with 65mm dia outlet IS	Each.	1816.50	2788.05
32. C.I.D/F Non-Return valve (IS 5312)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	65mm dia	Each	850.67	1597.44
b)	80mm dia	Each	951.50	1797.10
c)	100mm dia	Each	1263.37	2371.15
d)	150mm dia	Each	1293.94	3670.70
e)	200mm dia	Each	2309.02	4333.60
f)	250mm dia	Each	2757.97	5176.35
g)	300mm dia	Each	8338.08	15649.15
33. C.I. Single air valve (screw type (Fig – H-4) 300 lbs P.S.I.)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	15mm dia	Each	121.86	224.90
b)	20mm dia	Each	154.06	257.01

c)	25mm dia	Each	171.32	285.88
d)	32mm dia	Each	214.18	-
e)	40mm dia	Each	256.97	428.72
f)	50mm dia	Each	310.68	518.30
34. C.I. Single air valve flanged end (Fig – H-4)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garos	Khasi
a)	15mm dia	Each	160.43	267.70
b)	20mm dia	Each	189.82	316.65
c)	25mm dia	Each	214.09	357.10
d)	40mm dia	Each	310.31	517.85
e)	50mm dia	Each	374.67	625.05
35. C.I. double air valve flanged end (Flanged End) (Fig – H-10) ISS 1538/1967)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garos	Khasi
a)	40mm dia	Each	631.48	1053.05
b)	50mm dia	Each	695.97	1161.05
c)	65mm dia	Each	771.55	1287.15
d)	80mm dia	Each	804.55	1341.75
e)	100mm dia	Each	990.67	1652.75
f)	50mm dia	Each	1500.19	2520.75
36. C.I.D/F Sluice Valve as per IS 780-1969 full way Class 1-10 Kg/cm² pressure.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garos	Khasi
a)	80mm dia	Each	1305.22	1631.00
b)	100mm dia	Each	1684.35	2184.00
c)	150mm dia	Each	2616.02	3428.00
d)	200mm dia	Each	4359.57	6645.00
e)	250mm dia	Each	6356.37	8824.00
f)	300mm dia	Each	7710.52	11141.00
37. Pressure Relief Valve (tested for 300 lbs PSI and seat 150 PSI flanged drilled as per B.S.S. 10)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garos	Khasi
a)	50mm dia	Each	711.79	831.27
b)	65mm dia	Each	922.09	1076.87
c)	80mm dia	Each	1243.16	1451.80
d)	100mm dia	Each	1558.96	1820.60
38. G.I. Foot Valve with Strainers (flanged Types) IS 4838-1967)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garos	Khasi
a)	80mm dia	Each	88.70	180.00
b)	100mm dia	Each	108.32	210.00
c)	150mm dia	Each	264.85	450.00
d)	200mm dia	Each	388.85	-
e)	250mm dia	Each	761.44	-
39. Unplasticised PVC pipes for portable water supplies as per specifications No IS 4985/1968 with one end plain and the other end fitted with couple in 6 metre length for 6 Kg f/cm²				

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	40mm dia O/D	RM	17.33	-
b)	50mm dia O/D	RM	23.76	-
c)	63mm dia O/D	RM	37.19	-
d)	75mm dia O/D	RM	51.82	-
e)	90mm dia	RM	107.88	-
f)	110mm dia	RM	74.25	-
g)	140mm dia	RM	234.23	-
h)	160mm dia	RM	244.94	-
40. Threaded coupler (Male) (threaded)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20mm dia	Each	3.23	-
b)	25mm dia	Each	6.30	-
c)	32mm dia	Each	7.27	-
d)	40mm dia	Each	12.77	-
e)	50mm dia	Each	19.40	-
f)	63mm dia	Each	27.48	-
g)	75mm dia	Each	27.48	-
h)	90mm dia	Each	63.06	-
i)	110mm dia	Each	103.49	-
j)	140mm dia	Each	185.95	-
k)	160mm dia	Each	339.57	-
41. Threaded coupler (female)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20mm dia	Each	3.88	-
b)	25mm dia	Each	6.49	-
c)	32mm dia	Each	8.08	-
d)	40mm dia	Each	14.55	-
e)	50mm dia	Each	25.25	-
f)	63mm dia	Each	38.81	-
g)	75mm dia	Each	48.51	-
h)	90mm dia	Each	85.69	-
i)	110mm dia	Each	145.53	-
j)	140mm dia	Each	307.23	-
k)	160mm dia	Each	541.02	-
42. PVC Socket				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20mm dia	Each	2.04	-
b)	25mm dia	Each	2.76	-
c)	32mm dia	Each	4.14	-
d)	40mm dia	Each	6.97	-
e)	50mm dia	Each	9.70	-
f)	63mm dia	Each	17.36	-

g)	75mm dia	Each	28.29	-
h)	90mm dia	Each	40.42	-
i)	110mm dia	Each	71.79	-
j)	140mm dia	Each	164.93	-
k)	160mm dia	Each	224.00	-
43. PVC Elbow (Moulded)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20mm dia	Each	3.22	-
b)	25mm dia	Each	4.84	-
c)	32mm dia	Each	6.83	-
d)	40mm dia	Each	10.56	-
e)	50mm dia	Each	21.84	-
44. PVC TEE (Moulded)				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20mm dia	Each	4.21	-
b)	25mm dia	Each	5.81	-
c)	32mm dia	Each	9.39	-
d)	40mm dia	Each	13.23	-
e)	50mm dia	Each	28.66	-
f)	63mm dia	Each	43.65	-
g)	75mm dia	Each	66.93	-
h)	90mm dia	Each	113.51	-
i)	110mm dia	Each	177.53	-
45. PVC Fabrication TEE				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	140mm dia	Each	349.23	-
b)	160mm dia	Each	462.42	-
46. PVC Socket				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi
a)	20mm dia	Each	11.14	-
b)	25mm dia	Each	12.94	-
c)	32mm dia	Each	18.59	-
d)	40mm dia	Each	20.20	-
e)	50mm dia	Each	21.83	-
f)	63mm dia	Each	22.59	-
g)	75mm dia	Each	22.85	-
h)	90mm dia	Each	29.54	-
i)	110mm dia	Each	47.81	-
j)	140mm dia	Each	87.82	-
k)	160mm dia	Each	132.57	-
47. PVC Tail pieces with flange.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garó	Khasi

a)	20mm dia	Each	72.76	-
b)	25mm dia	Each	64.69	-
c)	32mm dia	Each	85.69	-
d)	40mm dia	Each	92.16	-
e)	50mm dia	Each	96.64	-
f)	63mm dia	Each	67.96	-
g)	75mm dia	Each	82.29	-
h)	90mm dia	Each	106.32	-
i)	110mm dia	Each	144.94	-
j)	140mm dia	Each	234.46	-
k)	160mm dia	Each	309.39	-

48. Service Saddle

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
a)	20mm dia	Each	35.57	-
b)	25mm dia	Each	45.28	-
c)	32mm dia	Each	48.51	-
d)	40mm dia	Each	51.74	-
e)	50mm dia	Each	37.18	-
f)	63mm dia	Each	49.48	-
g)	75mm dia	Each	66.93	-
h)	90mm dia	Each	70.04	-
i)	110mm dia	Each	84.41	-
j)	140mm dia	Each	119.32	-
k)	160mm dia	Each	151.34	-

49. MULTISTEP REDUCER

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
a)	25x20mm dia	Each	6.31	-
b)	32x20mm dia	Each	13.71	-
c)	32x25mm dia	Each	12.95	-
d)	40x25mm dia	Each	24.25	-
e)	40x32mm dia	Each	39.44	-
f)	50x32mm dia	Each	33.95	-
g)	50x40mm dia	Each	155.86	-
h)	63x40mm dia	Each	54.98	-
i)	63x50mm dia	Each	58.21	-
j)	75x63mm dia	Each	70.06	-
k)	90x63mm dia	Each	67.91	-
l)	90x75mm dia	Each	67.91	-
m)	110x90mm dia	Each	87.31	-
n)	1110x90mm dia	Each	112.89	-
o)	140x110mm dia	Each	112.89	-
p)	160x140mm dia	Each	112.89	-

50. MULTISTEP REDUCER

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi

a)	25x20mm dia	Each	3.78	-
b)	32x20mm dia	Each	5.53	-
c)	40x32mm dia	Each	8.51	-
d)	50X40mm dia	Each	12.36	-
e)	63X50mm dia	Each	20.37	-
f)	75X63mm dia	Each	26.90	-
g)	90X75mm dia	Each	38.63	-
h)	110X90mm dia	Each	70.74	-
i)	160X140mm dia	Each	155.86	-
51. MULTISTEP REDUCER				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
a)	25x20mm dia	Each	3.35	-
b)	32x20mm dia	Each	5.28	-
c)	32x25mm dia	Each	4.30	-
d)	40x32mm dia	Each	7.99	-
e)	50x32mm dia	Each	21.01	-
f)	63x50mm dia	Each	9.88	-
g)	73x63mm dia	Each	19.64	-
h)	90x75mm dia	Each	21.03	-
i)	90x63mm dia	Each	40.98	-
j)	110x90mm dia	Each	80.12	-
k)	140x110mm dia	Each	80.12	-
l)	160x140mm dia	Each	177.53	-
52. PVC End Caps				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
a)	20mm dia	Each	2.32	-
b)	25mm dia	Each	2.90	-
c)	32mm dia	Each	4.94	-
d)	40mm dia	Each	7.64	-
e)	50mm dia	Each	9.16	-
f)	63mm dia	Each	15.19	-
g)	75mm dia	Each	23.28	-
h)	90mm dia	Each	35.29	-
i)	110mm dia	Each	54.57	-
j)	140mm dia	Each	128.86	-
k)	160mm dia	Each		
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
53.	Cement per bag 50 Kg.	Per bag	240.00	230.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
54.	Torsteel (All sizes)	Per quintal	3077.00	3150.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
55.	M.S. Round (All sizes)	Per quintal	2957.00	3000.00

Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
56.	Solvent Cement	Per Kg.	69.00	-
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
57.	Red-oxide paint	Per litre	86.00	-
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
58.	Anti Corrosive B/B	Per litre	70.00	-
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
59.	Alluminium Paint	Per litre	100.00	-
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
60.	Goat proof fencing wire 1.22 high with chain like 100mmx 100mm dia mond mesh 10 S.W.G as per specification JE/F36A, roll of 50 M length.	Per roll	2050.00	-
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
61.	Barded wire fencing 3 ply 2 pts of 12 S.W.G all Complete as per specification.	Per Qntl	3000.00	4200.00
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
62.	Hexagoal Sausage wire net 100mmx125mm mesh 8 S.W.G. wire of 15mm long x 3,05 M wide.	Per roll	1880.00	-
63. Water tank welded with inlet outlet, overflow and cover with locking arrangement all complete made out of mild steel of 3mm thick.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
a)	400 gallons capacity	Each	5200.00	-
64. Galvanised steel tank made out of 16gauge steel with inlet, onlet overflow and cover with locking arrangement all complete.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
a)	400 gallons capacity	Each	5290.00	-
65. C.I. Surface box				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
i)	380mmx200mmx230mm	Eare	406.64	-
ii)	480mmx200mmx250mm	Each	663.55	-
iii)	590mmx320mmx370mm	Each	1190.25	-
66. M.S. lader 3 M long and 30cm Board of 2 Nos.				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi
a)	50mm x 6mm flat	RM	2520.00	-
67. C.I. man hole cover of sizes				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garro	Khasi

a)	60mm x 60cm	Each	2500.00	-
68. D.I. pipe – Class K-9				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
(i)	100mm dia	RM	624.00	-
(ii)	150mm dia	RM	942.00	1105.81
(iii)	200mm dia	RM	1254.50	1473.36
(iv)	250mm dia	RM	1644.50	1931.36
(v)	300mm dia	RM	2082.60	2446.42
69. D.I. pipe – Class K-7				
Sl.No	Description of Works	Unit	Rate in figure (Rs)	
			Garo	Khasi
(i)	100mm dia	RM	527.67	583.87
(ii)	150mm dia	RM	762.84	848.27
(iii)	200mm dia	RM	1112.35	1224.87
(iv)	250mm dia	RM	1498.80	1644.68
(v)	300mm dia	RM	1932.73	2118.13

**NOTE: The schedule of Rates of Khasi Hills District is for the year 2005-06
And that of Garo Hills District is for the year 2004-05**